

12.0 SS TENDER

sealboatsusa.com





12.0 SS Tender with 25-HP Mercury, 4-stroke outboard motor.



SEAL, which stands for **SEA AL**uminum, aptly describes our all-aluminum, all-welded, finely-crafted boats. SEALTM Boats are tough, rugged, durable, virtually unsinkable and practically indestructible. The design-patented hulls are made of the highest quality marine/aircraft aluminum, and the all-aluminum sponsons are entirely filled with 53 cubic feet of U.S. Coast Guard approved foam flotation. Sharp objects such as knives, cleats, fishing gear, boots, docks, oysters and bottom objects are not a problem for these boats. SEALTM Boats are also incredibly stable and virtually impossible to capsize or flip over. SEALTM Boats bring you all the benefits of inflatables, without all the hassles. SEALTM Boats are self-bailing, and the all-welded aluminum construction requires almost no maintenance. Best of all, SEALTM Boats are beautiful, finely crafted vessels that you'll be proud to own.

Precisely engineered using the most advanced computeraided, perimetric solid modeling, SEALTM Boats are built with the finest marine aluminum metals and the best marine hardware available. The all-aluminum hull is water-jet cut to ensure precise fitting of all parts. The boats feature all-welded construction – no rivets or bolts are used in the hull construction. The SEALTM Tender line has 10-ft., 12-ft. and 14.5-ft. tiller models, plus 14.5-ft and up center console models. SEALTM Boats are available in marine-grade, powder-coating in your color of choice, powder-coating with metallic finish, natural non-coated aluminum and Gator-TuffTM.

The 12.0 SS TENDER is designed for electric start engines. The bench seat has a battery box with on/off switch, built-in electric fuel gauge, and automatic bilge pump. The 12.0 SS TENDER has a 32-gallon fuel tank and ample storage below deck.

SEALTM Work Boat line is available from 10-ft. to 39-ft. SEALTM Tender line is available from 10-ft. to 20-ft. SEALTM Yacht line is available from 21-ft. to 39-ft.

12.0 SS TENDER TILLER

STANDARD EQUIPMENT

- Choice of any marine-grade powder coating (metallic finish is extra)
- Standard aluminum rub and grab rails
- Hydraulic lift seat
- 1/2-in. starboard deck surface
- 1-in. starboard bow pulpit
- 1/2-in. starboard aft deck step covers
- 53 cubic feet of Coast Guard approved, 2-pound density foam in all the sponsons (making the boat unsinkable)
- Bilge and deck drain plugs
- 4 SEALTM 1/2-in. dock lines
- 2 SEALTM towels
- Survival and safety package
- 1 front trailer/anchor eye and clevace
- 1 bow-lifting and 2 rear-lifting eyes with clevaces
- Built-in 32-gallon aluminum fuel tank
- Racor fuel/water separator filter
- 316-stainless-steel rub rail protectors
- Self-bailing, sealed deck
- Aluminum propeller

PLUMBING SYSTEM

■ 650 GPH bilge pump

LIGHTING SYSTEM

- Navigation lights
- 4 interior LED cockpit lights
- 2 rear LED step lights

ELECTRICAL SYSTEM

- Built-in battery in seat box
- On/off switch with lock
- Automatic bilge pump
- Electric fuel gauge
- 30-amp master circuit breaker

INTERIOR FINISH

■ 1/2" dolphin gray starboard decking (other colors available)



Ample below-deck storage, welded rails and powder coating.

DECK HARDWARE & EXTERIOR EQUIPMENT

- 316-stainless-steel gas fill
- 4 316-stainless-steel lift clevaces
- 2 Armstrong rear round hatch covers
- 2 SEALTM-logo aluminum rear hatches
- 1 SEALTM-logo powder-coated front chest plate

OPTIONAL EQUIPMENT

- Bimini top in any Sunbrella[™] color (includes flag and pole)
- Radar arch (includes flag and pole)
- Fishing rod holders
- Rolls Axle trailer with magnesium wheels
- Trailer boat tie-downs
- Metallic powder coat
- Fenders
- Stainless steel propeller
- Hand made teak bow pulpit
- Stainless steel anchor on bow pulpit
- Extra dock lines
- SEALTM carpet
- SEALTM floor mats
- Seat cushion
- High-polished aluminum front chest plate



Optional hand-made teak bow pulpit with Accon pop-up stainless steel bow light.



Built-in battery in seat box with on/off switch, fuel gauge and electrical switches.

12.0 SS TENDER



The 12.0 SS Tender with SEALTM-logo high-polished aluminum chest plate on a W1730S Rolls Axle trailer.

12.0 SS TENDER Specifications

Boat length	12.00′
Overall length with bow pulpit	
LOA with 25 HP Yamaha motor & bow pulpit	
Boat beam with rub rail	
Transom height	
Draft with fuel & engine	
Displacement	
Tube diameter	
Tube volume	
Foam capacity (3,370 lbs. of foam flotation) 53.50 cu	
Bilge pump capacity	
Fuel capacity	
Maximum horse power	
Maximum persons 3 persons or 600 lbs	
Maximum weight capacity1,08	
Base boat weight	
Hull weight + 25 HP Yamaha 4-stroke engine1,13	
Hull weight + engine + fuel	34 lbs.
25 HP Mercury 4-stroke engine weight	75 lbs.
W1530S Rolls Axle trailer weight	00 lbs.
W1730S Rolls Axle trailer weight	30 lbs.





6025 Palmer Boulevard Sarasota, Florida 34232 941-377-6500 Toll Free 1-877-391-7700 info@sealboatsusa.com sealboatsusa.com